

2025 US Heat Catalog



CEC163TW
Energy Plus Wall Heater

Table of Contents

Fan-forced Heaters	1-9
Apex72®	2
Com-Pak®	3
Com-Pak® Bath	5
Com-Pak® Twin	6
Energy Plus	7
Register®	8
RBF	9
 Baseboards	 10-15
F-Series Baseboard	11
Equinox Baseboard	12
LC Series	13
SoftHeat Hydronic Baseboard	14
SoftHeat Portable Hydronic Baseboard	15
Portable Electric Baseboard	16
 Specialty	 17-21
Under Cabinet Heater	18
CGWH, EMC , DCH	19
Industrial Unit Heater	20
 Thermostats	 21-22
Electronic Thermostats	21
Mechanical Thermostats	22
 Ordering SKU Index	 23-24

Fan-forced Heaters



CBC103TW
Com-Pak Bath Wall Heater

Find the right fit for you. Fan-forced heaters are great heating solutions for residential and commercial areas including laundry rooms, vestibules, bathrooms, and even large foyers. Although all electric heat is 100% efficient, you will see some energy savings with a fan-forced heater because it takes very little time to heat a room. Fan-forced heaters circulate the air throughout the room which results in the space warming much quicker than with other room heaters. For versatility and efficiency, choose fan-forced heat.

Apex72®

High Installation

Warm your room and gain living space — ideal for homes with kids and pets, installs 72 inches above the floor

Contemporary Look


Modern style decorative cover blends into any room

Low Maintenance

Clean only once every 24 months, compared to six months with most wall heaters



Product Dimensions (WxHxD)
12" x 8-1/2" x 4"
30.5 cm x 21.6 cm x 10.2 cm



Apex72 heater assembly with accessories shown above. For electronic thermostats sold separately, see page 21

Heater Assemblies (require wall can, decorative cover and electronic thermostat)

Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
HW051	500	120	4.2	1710	4.7 / 2.1
HW101	1000	120	8.3	3415	4.7 / 2.1
HW151	1500	120	12.5	5120	4.7 / 2.1
HW038	375	208	1.8	1280	4.7 / 2.1
HW058	525	208	2.5	1795	4.7 / 2.1
HW078	750	208	3.6	2560	4.7 / 2.1
HW108	1000	208	4.8	3415	4.7 / 2.1
HW128	1200	208	5.8	4095	4.7 / 2.1
HW168	1600	208	7.7	5460	4.7 / 2.1
HW052	500	240	2.1	1710	4.7 / 2.1
HW082	800	240	3.3	2730	4.7 / 2.1
HW102	1000	240	4.2	3415	4.7 / 2.1
HW132	1300	240	5.4	4440	4.7 / 2.1
HW162	1600 / 1200	240 / 208	6.7 / 5.7	5460 / 4095	4.7 / 2.1

Accessories (sold separately)

Model	Description
CC / CC10	Galvanized wall can, single or 10-pack
CCSMW / CCSMB	Surface mount wall can, white or black
ACL / ACL5	Decorative cover with louver outlet grille, single or 5-pack
ACH / ACH5	Decorative cover with hexagonal outlet grille, single or 5-pack
OR / OR10	Orient ring, single or 10-pack

Com-Pak® Series

Quiet, Fast & Efficient

Warm up in a hurry with a fast-heating element as the centrifugal fan provides, quiet, efficient airflow

Barely Noticeable

Unique compact design is recess mounted to suit any room and available with or without a built-in thermostat

Quality

Metal grilles are powder-coated paint; the galvanized wall can is corrosion-resistant and fits the entire Com-Pak family of products



Product Dimensions (WxHxD)
9" x 12" x 4"
22.9 cm x 30.5 cm x 10.2 cm



Expanded view above does not include built-in thermostat

For ordering, see SKU Index, Page 23

Complete Units (include wall can and white grille)

Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
CSC101TW	1000	120	8.3	3415	7 / 3.2
CSC151TW	1500	120	12.5	5120	7 / 3.2
CSC102TW	1000 / 750	240 / 208	4.2 / 3.6	3415 / 2560	7 / 3.2
CSC152TW	1500 / 1125	240 / 208	6.3 / 5.4	5120 / 3840	7 / 3.2
CSC202TW	2000 / 1500	240 / 208	8.3 / 7.2	6825 / 5120	7 / 3.2
CSC101W*	1000	120	8.3	3415	7 / 3.2
CSC151W*	1500	120	12.5	5120	7 / 3.2
CSC072W*	750 / 563	240 / 208	3.1 / 2.7	6825 / 5120	7 / 3.2
CSC102W*	1000 / 750	240 / 208	4.2 / 3.6	3415 / 2560	7 / 3.2
CSC122W*	1250 / 937	240 / 208	5.2 / 4.5	4265 / 3200	7 / 3.2
CSC152W*	1500 / 1125	240 / 208	6.3 / 5.4	5120 / 3840	7 / 3.2
CSC202W*	2000 / 1500	240 / 208	8.3 / 7.2	6825 / 5120	7 / 3.2

*Requires a wall or built-in thermostat

See next page for heater assemblies and accessories

Com-Pak® Series

Com-Pak®

Ideal for renovations or new construction, Com-Pak fan-forced in-wall electric heaters are a simple, affordable way to add warmth to any living space. Its compact size and recess-mount design requires minimal wall space, provides quick and efficient heat, and it's quiet enough for any room.



Heater Assemblies (require wall can and grille)

Model*	Watts	Volts	Amps	BTU	Weight (lbs/kg)
CS051T	500	120	4.2	1719	3.5 / 1.5
CS101T	1000	120	8.3	3415	3.5 / 1.5
CS151T	1500	120	12.5	5120	3.5 / 1.5
CS052T	500 / 375	240 / 208	2.1 / 1.8	710 / 1280	3.5 / 1.5
CS072T	750 / 563	240 / 208	3.1 / 2.7	2560 / 1925	3.5 / 1.5
CS102T	1000 / 750	240 / 208	4.2 / 3.6	3415 / 2560	3.5 / 1.5
CS122T	1250 / 937	240 / 208	5.2 / 4.5	4265 / 3200	3.5 / 1.5
CS152T	1500 / 1125	240 / 208	6.3 / 5.4	5120 / 3840	3.5 / 1.5
CS202T	2000 / 1500	240 / 208	8.3 / 7.2	6825 / 5120	3.5 / 1.5
CS051*	500	120	4.2	1719	3.5 / 1.5
CS101*	1000	120	8.3	3415	3.5 / 1.5
CS151*	1500	120	12.5	5120	3.5 / 1.5
CS058*	563	208	2.7	1925	3.5 / 1.5
CS078*	750	208	3.6	2560	3.5 / 1.5
CS108*	1000	208	4.8	3415	3.5 / 1.5
CS118	1125	208	5.4	3840	3.5 / 1.5
CS158*	1500	208	7.2	5120	3.5 / 1.5
CS208*	2000	208	9.6	6825	3.5 / 1.5
CS052*	500 / 375	240 / 208	2.1 / 1.8	1710 / 1280	3.5 / 1.5
CS072*	750 / 563	240 / 208	3.1 / 2.7	2560 / 1925	3.5 / 1.5
CS102*	1000 / 750	240 / 208	4.2 / 3.6	3415 / 2560	3.5 / 1.5
CS122	1250 / 937	240 / 208	5.2 / 4.5	4265 / 3200	3.5 / 1.5
CS152*	1500 / 1125	240 / 208	6.3 / 5.4	5120 / 3840	3.5 / 1.5
CS202*	2000 / 1500	240 / 208	8.3 / 7.2	6825 / 5120	3.5 / 1.5

*Requires a wall or built-in thermostat

Accessories (sold separately)

Model	Description
CTT1W	Single pole built-in thermostat kit, white
CTT1A	Single pole built-in thermostat kit, almond
CTT2W	Double pole built-in thermostat kit, white
CTT2A	Double pole built-in thermostat kit, almond
CTT1P	Single pole built-in tamperproof thermostat kit
CTT2P	Double pole built-in tamperproof thermostat kit
CC	Galvanized wall can, single
CC10	Galvanized wall can, 10-pack
CCSMB	Surface mount wall can, black
CCSMW	Surface mount wall can, white
CCSMA	Surface mount wall can, almond
CGW	Vertical grille kit, white, single
CGW10	Vertical grille kit, white, 10-pack
CGB	Vertical grille kit, black, single
CGB10	Vertical grille kit, black, 10-pack
CGA	Vertical grille kit, almond, single
CGA10	Vertical grille kit, almond, 10-pack
CMGW	Horizontal grille kit, white, single
CMGW5	Horizontal grille kit, white, 5-pack
CMGA	Horizontal grille kit, almond, single
CMGA5	Horizontal grille kit, almond, 5-pack
CAMW	Adapter plate, 18-1/2" W x 22" H, white
CAMA	Adapter plate, 18-1/2" W x 22" H, almond
SAMW	Adapter plate, 12" W x 21-14" H, white
SAMA	Adapter plate, 12" W x 21-14" H, almond
KNOB CS/ CST	Replacement Single Pole Knob Kit, White (retail pack, order in multiples of 6)

Com-Pak® Bath Series

Thermostat & Timer

An integrated thermostat and timer allow you to stay in control of your temperature at all times

No More Cold Rooms

Goodbye chilly mornings, hello Com-Pak Bath — get instant heat where and when you need it the most

Instant Heat Boost

Set the auto-timer for 20, 40 or 60 minutes to get that instant heat; then, after the timer runs out control returns to the thermostat setting



Product Dimensions (WxHxD)
9" x 12" x 4"
22.9 cm x 30.5 cm x 10.2 cm



Complete Units (include wall can and grille)

Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
CBC103TW	1000	120 / 240	8.3 / 4.2	3415	8 / 3.6
CBC132TW	500 / 800 / 1300 375 / 600 / 975	240 208	2.1 / 3.3 / 5.4 1.8 / 2.9 / 4.5	1710 / 2730 / 4440 1280 / 2050 / 3200	8 / 3.6

Heater Assemblies (require wall can and grille)

Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
CB103T	1000	120 / 240	8.3 / 4.2	3415	4.7 / 2.1
CB132T	500 / 800 / 1300 375 / 600 / 975	240 208	2.1 / 3.3 / 5.4 1.8 / 2.9 / 4.5	1710 / 2730 / 4440 1280 / 2050 / 3200	4.7 / 2.1

Accessories (sold separately)

Model	Description
CC	Galvanized wall can, single
CC10	Galvanized wall can, 10-pack
CBGW	Grille kit, white, single
CAMW	Adapter plate, 18-1/2" W x 22" H, white
SAMW	Adapter plate, 12" W x 21-1/4" H, white
KNOB STAT CB	Replacement Thermostat Knob White
KNOB TIMER CB	Replacement 60-Minute Timer Knob White

Com-Pak® Twin Series

Heat Larger Spaces

Up to 450 square feet — plenty of warmth for family rooms or living rooms

Two in One

Warms quickly with two fast-heating coil elements and two efficient fans

High Output

Side by side heaters behind a single grille quickly eliminate drafts and cold spots in your open areas like foyers and entryways too



Product Dimensions (WxHxD)
16-1/4" x 12" x 4"
41.3 cm x 30.5 cm x 10.2 cm



Expanded view above does not include built-in thermostat

Complete Units (include wall can and white grille)

Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
CSTC302W*	3000 / 2250	240 / 208	12.5 / 10.8	10240 / 7680	11 / 5.4
CSTC302TW	3000 / 2250	240 / 208	12.5 / 10.8	10240 / 7680	12 / 5.4
CSTC402W*	4000 / 3000	240 / 208	16.7 / 14.4	13650 / 10240	12 / 5.4
CSTC402TW	4000 / 3000	240 / 208	16.7 / 14.4	13650 / 10240	12 / 5.4

Heater Assemblies (require wall can and grille)

Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
CST308*	3000	208	14.4	10240	6.5 / 2.9
CST308T	3000	208	14.4	10240	7 / 3.2
CST408*	4000	208	19.2	13650	6.5 / 2.9
CST408T	4000	208	19.2	13650	7 / 3.2
CST302*	3000 / 2250	240 / 208	12.5 / 10.8	10240 / 7680	6.5 / 2.9
CST302T	3000 / 2250	240 / 208	12.5 / 10.8	10240 / 7680	7 / 3.2
CST402*	4000 / 3000	240 / 208	16.7 / 14.4	13650 / 10240	6.5 / 2.9
CST402T	4000 / 3000	240 / 208	16.7 / 14.4	13650 / 10240	6.5 / 2.9

*Requires a wall or built-in thermostat

Accessories (sold separately)

Model	Description
CTGW / CTGA	Single grille - white / almond
CTC	Wall can, single
CTAMW / CTAMA	Adapter plate, 18-1/2" W x 22" H - white / almond
CTS4W / CTS4A	4" surface mount adapter - white / almond
CTT1W / CTT1A	Built-in thermostat kit, white, single pole - white / almond
CTT2W / CTT2A	Built-in thermostat kit, white, double pole - white / almond
CTT1P / CTT2P	Built-in tamperproof thermostat kit, single or double pole

Energy Plus

Intelligent Control

An integrated, electronic thermostat allows you to stay in control of your temperature at all times and reduces up to 30% on your heating bill

Ultra Quiet Operation

Auto adjusting, variable speed fan delivers the quietest most comfortable, consistent temperature

Mistake Proof Install

With the built-in smart sensor you can easily update old heaters and not worry about damaging your new heater, or whether you have 120, 208 or 240 Volts



Product Dimensions (WxHxD)
9" x 12" x 4"
22.9 cm x 30.5 cm x 10.2 cm



Complete Unit (includes wall can, white grille and built-in electronic thermostat)

Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
CEC163TW	1000 / 1600 / 1500	120 / 240 / 208	8.3 / 6.7 / 7.2	3415 / 5460 / 5120	8.1 / 3.6

Heater Assembly (requires wall can and grille)

Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
CE163T	1000 / 1600 / 1500	120 / 240 / 208	8.3 / 6.7 / 7.2	3415 / 5460 / 5120	4.4 / 2.0

Accessories (sold separately)

Model	Description
CC	Galvanized wall can, single
CC10	Galvanized wall can, 10-pack
CCSMW	Surface mount wall can, white
CCSMB	Surface mount wall can, black
CEGW	Grille kit, white
CEGB	Grille kit, black
CAMW	Adapter plate, 18-1/2" W x 22" H, white
SAMW	Adapter plate, 12" W x 21-1/4" H, white

Register®

Powerful Operation

Enjoy complete warmth, thanks to a powerful air fan

Simple Installation


Pre-formed, bendable legs and single screw fastening make mounting and installation easy

Versatile

Multi-watt models let you choose the best setting for your application, and wall or built-in thermostat options give you opportunities for customized control



Product Dimensions (WxHxD)
14" x 7-3/8" x 4"
35.6 cm x 18.7 cm x 10.2 cm



Complete Units (include wall can and white grille, require thermostat)

Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
RMC151W	500 / 1000 / 1500	120	4.2 / 8.3 / 12.5	1710 / 3415 / 5120	9 / 4.1
RMC208W	2000	208	9.6	6825	9 / 4.1
RMC162W	700 / 900 / 1600 525 / 675 / 1200	240 208	2.9 / 3.8 / 6.7 2.5 / 3.3 / 5.8	2390 / 3075 / 5460 1795 / 2305 / 4095	9 / 4.1
RMC202W	2000 / 1500	240 / 208	8.3 / 7.2	6825 / 5120	9 / 4.1

Heater Assemblies (require wall can, grille and thermostat)

Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
RM151	500 / 1000 / 1500	120	4.2/8.3/12.5	1710 / 3415 / 5460	4.5 / 2.0
RM108	1000	208	4.8	3415	4.5 / 2.0
RM158	1500	208	7.2	5120	4.5 / 2.0
RM168	700 / 900 / 1600	208	3.4 / 4.3 / 7.7	2390 / 3175 / 5460	4.5 / 2.0
RM208	2000	208	9.6	6825	4.5 / 2.0
RM102	1000 / 750	240	4.2 / 3.6	3415 / 2560	4.5 / 2.0
RM162	700 / 900 / 1600 525 / 675 / 1200	240 208	2.9 / 3.8 / 6.7 2.5 / 3.3 / 5.8	2390 / 3075 / 5460 1795 / 2305 / 4095	4.5 / 2.0
RM202	2000 / 1500	240 / 208	8.3 / 7.2	6825 / 5120	4.5 / 2.0
RM222	2250 / 1687	240 / 208	9.4 / 8.1	7680 / 5760	4.5 / 2.0

Accessories (sold separately)

Model	Description
RMGW / RMGW5	Grille kit, white, single or 5-pack
RMGA / RMGA5	Grille kit, almond, single or 5-pack
RMC / RMC5	Wall can, single or 5-pack
RMT2W / RMT2A	Double pole thermostat kit, white or almond

RBF

Stylish Functionality

Stainless steel grille with stylish mesh screen is designed to provide even, gentle warmth throughout your space

Not Your Average Design

Retro feel and distinctive grille blends well with existing hardware and plumbing fixtures in most bathrooms

Simple Operation

A super simple, convenient on/off switch leaves nothing to think about on a chilly morning when all you want is to turn your bathroom into a cozy oasis



Product Dimensions (WxHxD)
12" x 19" x 4"
30.5 cm x 48.3 cm x 10.2 cm

Heater Assembly & Grille (wall can required)

Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
RBF101	1000	120	12.5	3415	8 / 3.6

Accessories (sold separately)

Model	Description
RBFC	Wall can (required for new installation)



RBFC

Baseboards



5F1250W
Electric Baseboard

Electric baseboards are a mid-century innovation that has continued to thrive in the heating industry over decades. This traditional and efficient heating solution is here to stay, and we have a multitude of varieties from which to choose. Replace existing baseboard heaters with improved baseboard technology that you can rely on to keep your loved ones warm in the cold months. Installed out of sight, tucked away neatly on the floor and against the wall, you will almost forget your heater is there with its quiet operation. See how the products that you have depended on for years are advancing and growing alongside you and your family.

F-Series Baseboard

Easy Installation


Pre-punched markings at 1-inch intervals make for simple installation, place under windows for best results

Perfect Replacement

Practical design is built to last and ideal for replacement and retrofit applications, with universal wiring available at both ends

Quiet Operation

Perfect for bedrooms and quiet areas, with no moving parts for a relaxing atmosphere



Height x Depth
6-3/4" x 2-1/2"
17.2 cm x 6.4 cm



BTF2W

Electric Baseboards (*available in white or almond, add suffix W or A to specify color)

Model	Watts	Volts	Amps	BTU	Length (in/cm)	Weight (lbs/kg)
2F500-1W	500	120	4.2	1710	30 / 76.2	6 / 2.7
3F750-1W	750	120	6.3	2560	36 / 91.4	7 / 3.2
4F1000-1W	1000	120	8.3	3415	48 / 21.8	9 / 4.1
6F1500-1W	1500	120	12.5	5120	72 / 182.9	12 / 5.4
2F500-8W	500	208	2.4	1710	30 / 76.2	6 / 2.7
3F750-8W	750	208	3.6	2560	36 / 91.4	7 / 3.2
4F1000-8W	1000	208	4.8	3415	48 / 21.8	9 / 4.1
5F1250-8W	1250	208	6.0	4265	60 / 152.4	10 / 4.5
6F1500-8W	1500	208	7.2	5120	72 / 182.9	12 / 5.4
8F2000-8W	2000	208	9.6	6825	96 / 243.8	16 / 7.3
8F2500-8W	2500	208	12.0	8530	96 / 243.8	18 / 8.2
2F350W / 2F350A*	350 / 262	240 / 208	1.5 / 1.3	1195 / 895	24 / 61.0	5 / 2.3
2F500W / 2F500A*	500 / 375	240 / 208	2.1 / 1.8	1710 / 1280	30 / 76.2	6 / 2.7
3F750W / 3F750A*	750 / 563	240 / 208	3.1 / 2.7	2560 / 1925	36 / 91.4	7 / 3.2
4F1000W / 4F1000A*	1000 / 750	240 / 208	4.2 / 3.6	3415 / 2560	48 / 21.8	9 / 4.1
5F1250W / 5F1250A*	1250 / 937	240 / 208	5.2 / 4.5	4265 / 3200	60 / 152.4	10 / 4.5
6F1500W / 6F1500A*	1500 / 1125	240 / 208	6.3 / 5.4	5120 / 3840	72 / 182.9	12 / 5.4
8F2000W / 8F2000A*	2000 / 1500	240 / 208	8.3 / 7.2	6825 / 5120	96 / 243.8	16 / 7.3
8F2025W	2500 / 2000 1975 / 1500	240 208	10.4 / 8.3 9.0 / 7.2	8530 / 6825 6400 / 5120	96 / 243.8	18 / 8.2
8F2500W / 8F2500A*	2500 / 1875	240 / 208	10.4 / 9.0	8530 / 6400	96 / 243.8	18 / 8.2

Accessories (sold separately)

Model	Description
BTF2W / BTF2A*	Double pole built-in thermostat kit, white or almond
BTF1W / BTF1A*	Single pole built-in thermostat kit, white or almond

*ALMOND BASEBOARDS AND THERMOSTATS AVAILABLE IN SELECT MARKETS, CALL YOUR CADET SALES REP TO CONFIRM AVAILABILITY.



BTF2A

Equinox Electronic Baseboard

Energy Savings

Electronic thermostat for energy efficiency

Exclusive Design

Shark-fin heating element blades provide faster heat-up and longer life

Safe

Full length automatic overheat safety cutoff



Built-in Electronic Thermostat



Product Dimensions
2-3/8" D x 6-5/8" H x Varying Lengths

Equinox Electric Baseboard

Model	Watts	Volts	BTU	Length (in / cm)	Weight (lbs / kg)
EQ2005W31	500/375	240 / 208	1706 / 1280	20 / 50.8	4 / 1.8
EQ2507W31	750/563	240 / 208	2559 / 1919	25 / 63.5	4.65 / 2.1
EQ3010W31	1000/750	240 / 208	3412 / 2559	30 / 76.2	5.25 / 2.4
EQ3512W31	1250/938	240 / 208	4265 / 3199	35 / 88.9	6.65 / 3
EQ4015W31	1500/1125	240 / 208	5118 / 3839	40 / 101.6	7.75 / 3.5
EQ5020W31	2000/1500	240 / 208	6824 / 5120	50 / 127.0	8.45 / 3.8
EQ6025W31	2500/1875	240 / 208	8530 / 6398	60 / 152.4	9.95 / 4.5

LC Series

Smaller Sizes

42% shorter in length than conventional baseboards with updated, discreet styling

Shark-fin Element Blade

Proprietary element design results in faster heat discharge quickly spreading warmth into your entire room

Control Options

Use with built-in thermostat kits or any of the mechanical or electronic wall thermostats for additional energy savings



Top mounted thermostat can be installed on either side



Product Dimensions
2-3/8" D x 6-5/8" H x Varying Lengths

LC Series Electric Baseboard

Model	Watts	Volts	BTU	Length (in / cm)	Weight (lbs / kg)
LC2005W31	500/375	240 / 208	1706 / 1280	20 / 50.8	4 / 1.8
LC2507W31	750/563	240 / 208	2559 / 1919	25 / 63.5	4.65 / 2.1
LC3010W31	1000/750	240 / 208	3412 / 2559	30 / 76.2	5.25 / 2.4
LC3512W31	1250/938	240 / 208	4265 / 3199	35 / 88.9	6.65 / 3
LC4015W31	1500/1125	240 / 208	5118 / 3839	40 / 101.6	7.75 / 3.5
LC5020W31	2000/1500	240 / 208	6824 / 5120	50 / 127.0	8.45 / 3.8
LC6025W31	2500/1875	240 / 208	8530 / 6398	60 / 152.4	9.95 / 4.5
DTK-SP*	Single pole built-in thermostat kit (adjustable) 120-240V, 17A, 347V, 14A				
DTK-DP*	Double pole built-in thermostat (adjustable) 120-240V, 17A, 347V, 11A				

*Adjustable kits contain white and almond control knobs and hardware.

SoftHeat Hydronic Baseboard

Smart Design

Innovative technology with environmentally-friendly mineral oil that retains heat much longer than standard electric baseboards

Family Friendly

Lowest surface temperatures available to help reduce the effects of indoor allergens in your home — perfect for homes with kids and pets

Silent Operation

Virtually silent operation for a calm, relaxing atmosphere with no plumbing required



Height x Depth
9-1/2" x 3-1/4"
24.1 cm x 8.3 cm

SoftHeat Hydronic Baseboard						
Model	Watts	Volts	Amps	BTU	Length (in/cm)	Weight (lbs/kg)
EBHN500-1W	500	120	4.2	1710	35 / 88.9	14.9 / 6.8
EBHN750-1W	750	120	6.3	2560	47 / 119.4	18.9 / 8.6
EBHN1000-1W	1000	120	8.3	3415	59 / 149.9	22.9 / 10.4
EBHN1250-1W	1250	120	10.4	4265	71 / 180.3	26.9 / 12.2
EBHN1500-1W	1500	120	12.5	5120	83 / 210.8	30.9 / 14.0
EBHN500-8W	500	208	2.4	1710	35 / 88.9	13.9 / 6.3
EBHN750-8W	750	208	3.6	2560	47 / 119.4	17.9 / 8.1
EBHN1000-8W	1000	208	4.8	3415	59 / 149.9	21.9 / 9.9
EBHN1250-8W	1250	208	6.0	4265	71 / 180.3	25.9 / 11.7
EBHN1500-8W	1500	208	7.2	5120	83 / 210.8	29.9 / 13.6
EBHN500W	500 / 375	240 / 208	2.1 / 1.8	1710 / 1280	35 / 88.9	13.9 / 6.3
EBHN750W	750 / 563	240 / 208	3.1 / 2.7	2560 / 1925	47 / 119.4	17.9 / 8.1
EBHN1000W	1000 / 750	240 / 208	4.2 / 3.6	3415 / 2560	59 / 149.9	21.9 / 9.9
EBHN1250W	1250 / 937	240 / 208	5.2 / 4.5	4265 / 3200	71 / 180.3	25.9 / 11.7
EBHN1500W	1500 / 1125	240 / 208	6.3 / 5.4	5120 / 3840	83 / 210.8	29.9 / 13.6

Accessories (sold separately)	
Model	Description
EBKNW	Thermostat Kit



SoftHeat Portable Hydronic Baseboard

Portable Comfort

With a 6-foot cord, move gentle, steady warmth to any room you choose and simply plug it in

Safe & Clean

Perfect for homes with kids and pets; reduce the effect of indoor allergens with the low surface temperature

Enhanced Livability

Sleep sound with nearly silent operation, while the environmentally-friendly mineral oil retains warmth longer and spreads residual heat even after the thermostat shuts power off from the heater



Product Dimensions (WxHxD)
59" x 9-1/2" x 6-1/2"
149.9 cm x 24.1 cm x 16.5 cm

SoftHeat Portable Hydronic Baseboard					
Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
EPN1500W	1500	120	12.5	5120	23.3 / 10.5



Portable Electric Baseboard

Thermostat

Easily adjustable for perfect warmth with a large, dial thermostat that includes an off setting

Portable

6-foot cord with grounded plug and built-in carrying handles on each end so you can take comfort with you from room to room

Safe

Built-in safety tip-over switch automatically cuts power to the unit for added peace of mind



Product Dimensions (WxHxD)
49" x 7-1/2" x 5-3/8"
124.5 cm x 19.0 cm x 13.7 cm

Portable Electric Baseboard					
Model	Watts	Volts	Amps	BTU	Weight (lbs/kg)
4P1500W	1500	120	12.5	5120	8.5 / 4.3



Specialty



UCH183
Under Cabinet Heater

Browse through a variety of specialty heaters for spaces less commonly thought of, but just as well used. Whether you are keeping your garage comfortable enough to work in, or looking for some warmth on your toes in the morning, our selection of specialty heaters has you covered. We have under cabinet, garage and workshop heaters — for those hard-to-fit places that need heat too. There is no thinking twice about keeping warm this season with our wide selection of specialty heaters.

Under Cabinet Heater

Powerful Heat

Greater range of flexible installation with multi-volt and watt capabilities

Discreet

Provides the heat you need with its finned tubular element and fits safely in your cabinet toe kick area

Versatile

Ideal as a primary heat source for smaller rooms, or as a complementary heat source in large, open living areas; with both black and white grilles included, options are multiplied



Under Cabinet Heater

Model	Description	Watts	Volts	Amps	BTU	Weight (lbs/kg)
UCH183	Complete unit, no thermostat	450 / 900 / 1350 / 1800 900 / 1800 675 / 1350	120 240 208	3.8 / 7.5 / 11.3 / 15 3.8 / 7.5 3.2 / 6.5	1535 / 3075 / 4610 / 6145 3075 / 6145 4610 / 6145	12.3 / 5.6
UCH183T	Complete unit, with thermostat kit	450 / 900 / 1350 / 1800 900 / 1800 675 / 1350	120 240 208	3.8 / 7.5 / 11.3 / 15 3.8 / 7.5 3.2 / 6.5	1535 / 3075 / 4610 / 6145 3075 / 6145 4610 / 6145	12.3 / 5.6



Product Dimensions (WxHxD)
21-1/4" x 3-3/4" x 11"
54 cm x 9.5 cm x 28.0 cm

Includes two grilles, black and white

Accessories (sold separately)	
Model	Description
UCHT	Thermostat Kit



EMC, DCH and Garage/Workshop Heater

EMC and DCH

- 300 CFM delivers powerful heat output
- Thermal overheat protection stops heater from running if it gets too hot
- Includes 6 foot cord with NEMA standard plug (6-20P or 6-30P)
- Built-in single-pole thermostat for accurate temperature control

CGWH

A powerful fan and 4000 watt stainless steel element, accurately balanced and correctly pitched, optimize performance while the versatile mounting bracket attaches to wall or ceiling and swivels to direct heat.



EMC, DCH and CGWH

Model	Description	Watts	Volts	BTU	CFM	Product Dimensions (WxHxD)	Weight (lb/kg)
EMC4240G	Enclosed Motor Construction Heater	5000 / 3750	240 / 208	17060 / 12795	300	9" x 11" x 9" 22.9 cm x 27.9 cm x 22.9 cm	10 / 4.5
DCH4831LG	Portable Construction Heater	4800	240	16377	300	9" x 11" x 7-1/2" 22.9 cm x 27.9 cm x 19.1 cm	10 / 4.5
CGWH4031G	Garage/Workshop Construction Heater	4000	240	13648	300	9" x 11" x 7-1/2" 22.9 cm x 27.9 cm x 19.1 cm	10 / 4.5



EMC4240G



DCH4831LG



CGWH4031G



Industrial Unit Heater

Supplemental Heating

Ideal for retrofit or new construction, the EUH series are perfect for hard-to-heat areas such as warehouses, storage facilities, garages, and shipping and receiving zones

Direct Wire

Requires direct wiring for an ideal and seamless installation, ceiling hanger bracket is included

Thermostat

Built-in adjustable thermostat on all models, many also include a built-in contactor



Product Dimensions (WxHxD)
13" x 19-1/2" x 13-3/8"
33 cm x 49.5 cm x 34 cm

Note: T = Built-in thermostat
CT = Built-in thermostat and contactor

Industrial Unit Heater					
Model	Watts	Volts	BTU	Phase	Weight (lb/kg)
EUH03B34CT	3000/2250	240/208	10236/7677	1/3	36/16.0
EUH05B34CT	5000 / 3800	240 / 208	17060 / 12795	1/3	36 / 16.0
EUH05B74CT	5000	480	17060	1/3	40 / 18.0
EUH05B84CT	5000	600	17060	1/3	40 / 18.0
EUH08B24CT	7500	208	25590	1/3	46 / 21.0
EUH08B74CT	7500	480	25590	1/3	50 / 22.0
EUH08B84CT	7500	600	25590	1/3	50 / 22.0
EUH10B34CT	10000 / 7500	240 / 208	34120 / 25590	1/3	46 / 21.0
EUH10B84CT	10000	600	34120	1/3	50 / 22.0



Accessories (sold separately)

Model	Description
EUHWB	Wall hanger bracket



Electronic Thermostats

Save as much as 10% on your heating bill* with precise technology and electronic programmable and non-programmable thermostats. Capacitive touch controls, large easy-to-read displays, along with four daily settings are just some of the many features built in to these line voltage thermostats. Use with fan-forced wall heaters and electric baseboards.



TEP362DW



TEP402DW



TEN362DW



TH115-A-240D-B



TH114-A-240D-B



TH401

Electronic Thermostats

Model	Description - Electronic Wall Thermostats	Temperature Range (°F / °C)	Watts	Volts	Amps
TEP362DW	Programmable double pole electronic thermostat	41-86 / 5-30	1800 / 3120 / 3600	120 / 208 / 240	15
TEP402DW	Programmable single pole electronic thermostat	41-86 / 5-30	2000 / 3467 / 4000	120 / 208 / 240	16.7
TEN362DW	Non-programmable double pole electronic thermostat	41-86 / 5-30	1800 / 3120 / 3600	120 / 208 / 240	15
TH115-A-240D-B	Programmable double pole electronic thermostat	40-85 / 5-30	3600	208 / 240	15
TH114-A-240D-B	Non-programmable double pole electronic controller	40-85 / 5-30	3600	208 / 240	15
TH401	Non-programmable single-pole electronic thermostat	40-85 / 5-30	1250 / 2163 / 2500	120 / 208 / 240	10.4

*Compared to a mechanical thermostat

Mechanical Thermostats

Bimetallic operation provides excellent value with easy-to-use large, twist dials to adjust a room's comfort level. These thermostats replace most wall-mounted line voltage thermostats with two or four wires and include color coding for easy installation.



TS321W



TD322W


T521-W
T522-W

T521-A
T522-A

Dimplex Thermostats

Model	Description	Temperature Range (°F / °C)	Rating (Non-inductive / Inductive)
TS321W	Single pole mechanical thermostat, white (retail box)	50-90 / 10-35	5000 W / 277 V Max / 1/3HP / 240V
TD322W	Double pole mechanical thermostat, white (retail box)	50-90 / 10-35	5000 W / 277 V Max / 1/3HP / 240V

Cadet Thermostats

Model	Description - Mechanical Wall Thermostats	Temperature Range (°F / °C)	Watts	Volts	Amps
T521-W	Single pole mechanical thermostat, white	50-90 / 10-35	2640 / 4576 / 5280	120 / 208 / 240	22
T522-W	Double pole mechanical thermostat, white	50-90 / 10-35	2640 / 4576 / 5280	120 / 208 / 240	22
T521-A	Single pole mechanical thermostat, almond	50-90 / 10-30	2640 / 4576 / 5280	120 / 208 / 240	22
T522-A	Double pole mechanical thermostat, almond	50-90 / 10-30	2640 / 4576 / 5280	120 / 208 / 240	22

Ordering SKU Index

Apex 72 Page 2	
Model	SKU
HW051	65316
HW101	65314
HW151	65315
HW038	65313
HW058	65312
HW078	65311
HW108	65310
HW128	65309
HW168	65308
HW052	65305
HW082	65304
HW102	65303
HW132	65302
HW162	65301
CC / CC10	67061 / 67060
CCSMW / CCSMB	69111 / 69110
ACL / ACL5	67129 / 67131
ACH / ACH5	67130 / 67132
OR / OR10	67051 / 67050

Com-Pak Pages 3-4	
CSC101TW	67508
CSC151TW	67509
CSC102TW	67505
CSC152TW	67506
CSC202TW	67507
CSC101W	67549
CSC151W	67553
CSC072W	67540
CSC102W	67541
CSC122W	67542
CSC152W	67543
CSC202W	67544
CS051 / CS051T	67550 / 67560
CS101 / CS101T	67515 / 67523
CS151 / CS151T	67516 / 67524
CS058	67563
CS078	67564
CS108	67557
CS158	67571
CS208	67517
CS052 / CS052T	67584 / 67585
CS072 / CS072T	67510 / 67518
CS102 / CS102T	67511 / 67519

Com-Pak cont'd Pages 3-4	
CS122 / CS122T	67512 / 67520
CS152 / CS152T	67513 / 67521
CS202 / CS202T	67514 / 67522
CTT1W/CTT1A	67063 / 67065
CTT2W/CTT2A	67064 / 67066
CTT1P / CTT2P	67067 / 67068
CC / CC10	67061 / 67060
CCSMB / CCSMW / CCSMA	69110 / 69111 / 69112
CGW / CGW10	67079 / 67081
CGB / CGB10	67082 / 67083
CGA / CGA10	67075 / 67080
CMGW CMGW5	65005 / 65006
CMGA / CMGA5	65015 / 65016
CAMW / CAMA	67105 / 67100
SAMW / SAMA	67115 / 67110
KNOB CS/CST	00535

Com-Pak Bath Page 5	
CBC103TW	65101
CBC132TW	65105
CB103T	65103
CB132T	65104
CC / CC10	67061 / 67060
CBGW	65110
CAMW / SAMW	67105 / 67115
KNOB CB STAT WHT	040079
KNOB CB TIMER WHT	040007

Com-Pak Twin Page 6	
CSTC302W	67545
CSTC302TW	67526
CSTC402W	67546
CSTC402TW	67527
CST308 / CST308T	67574 / 67534
CST408 / CST408T	67530 / 67533
CST302 / CST302T	67528 / 67531
CST402 / CST402T	67529 / 67532
CTGW / CTGA	67089 / 67090
CTC	68005
CTAMW / CTAMA	68075 / 68070
CTS4W / CTS4A	69104 / 69100
CTT1W / CTT1A	67063 / 67065
CTT2W / CTT2A	67064 / 67066
CTT1P / CTT2P	67067 / 67068

Energy Plus Page 7	
CEC163TW	65215
CE163T	65204
CC / CC10	67061 / 67060
CCSMW / CCSMB	69111 / 69110
CEGW / CEGB	65252 / 65251
CAMW	67105
SAMW	67115

Register Page 8	
RMC151W	63315
RMC208W	63316
RMC162W	63314
RMC202W	63313
RM151	00308
RM108	00310
RM158	00323
RM168	00313
RM208	00309
RM102	00311
RM162	00307
RM202	00306
RM222	00322
RMGW / RMGA	00275 / 00276
RMGW5 / RMGA5	63113 / 63114
RMC / RMC5	63115 / 63116
RMT2W / RMT2A	63123 / 63124

RBF Page 9	
RBF101	79241
RBFC	79243

Ordering SKU Index

F-Series Baseboard		Page 11
Model	SKU	
2F500-1W	05530	
3F750-1W	05532	
4F1000-1W	05534	
6F1500-1W	05536	
2F500-8W	11924-1	
3F750-8W	11934	
4F1000-8W	11944	
5F1250-8W	11954-1	
6F1500-8W	11964	
8F2000-8W	11984	
8F2500-8W	10924	
2F350W / 2F350A	09949 / 06501	
2F500W / 2F500A	09950 / 06502	
3F750W / 3F750A	09952 / 06508	
4F1000W / 4F1000A	09954 / 06509	
5F1250W / 5F1250A	09955 / 06510	
6F1500W / 6F1500A	09956 / 06511	
8F2000W / 8F2000A	09958 / 06513	
8F2025W	09960	
8F2500W / 8F2500A	03360 / 03358	
BTF2W / BTF2A	14925 / 14920	
BTF1W / BTF1A	14915 / 14910	
Equinox Baseboard		Page 12
EQ2005W31	400001857	
EQ2507W31	400001858	
EQ3010W31	400001859	
EQ3512W31	400001860	
EQ4015W31	400001861	
EQ5020W31	400001862	
EQ6025W31	400001863	
LC Baseboard		Page 13
LC2005W31	X-LC2005W31	
LC2507W31	X-LC2507W31	
LC3010W31	X-LC3010W31	
LC3512W31	X-LC3512W31	
LC4015W31	X-LC4015W31	
LC5020W31	X-LC5020W31	
LC6025W31	X-LC6025W31	
DTK-SP	X-DTK-SP	
DTK-DP	X-DTK-DP	

SoftHeat Baseboard		Page 14
EBHN500-1W	13411	
EBHN750-1W	13412	
EBHN1000-1W	13413	
EBHN1250-1W	13414	
EBHN1500-1W	13415	
EBHN500-8W	13462-1	
EBHN750-8W	13463-1	
EBHN1000-8W	13464	
EBHN1250-8W	13465	
EBHN1500-8W	13466	
EBHN500W	13457-1	
EBHN750W	13458-1	
EBHN1000W	13459-1	
EBHN1250W	13460-1	
EBHN1500W	13461-1	
EBKNW	13170	

SoftHeat Portable		Page 15
EPN1500W	13469-1	

Portable Baseboard		Page 16
4P1500W	05601	

Under Cabinet Heater		Page 18
UCH183	10051	
UCH183T	10052	
UCHT	66051	

Garage Heater		Page 19
CGWH4031G	X-CGWH4031G	

EMC		Page 19
EMC4240G	X-EMC4240G	

DCH		Page 19
DCH4831LG	X-DCH4831LG	

Industrial Unit Heater		Page 20
EUH03B34CT	X-EUH03B34CT	
EUH05B34CT	X-EUH05B34CT	
EUH05B74CT	X-EUH05B74CT	
EUH05B84CT	X-EUH05B84CT	
EUH08B24CT	X-EUH08B24CT	
EUH08B74CT	X-EUH08B74CT	
EUH08B84CT	X-EUH08B84CT	
EUH10B34CT	X-EUH10B34CT	
EUH10B84CT	X-EUH10B84CT	
EUHWB	X-EUHWB	

Electronic Thermostats		Page 21
TEP362DW	08204	
TEP402DW	08205	
TEN302DW	08202	
TH115-A-240D-B	08165	
TH114-A-240D-B	08162	
TH401	72838	

Mechanical Thermostats		Page 22
TS321W	TS321W	
TD322W	TD322W	
T521-W	08300	
T522-W	08301	
T521-A	72832	
T522-A	08401	



F-Series Baseboard